2024.50MY New Transit Custom





2024.50MY Transit Custom

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab		Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Engine					Exterior Design Features (continued)				
2.0L TDCi Ford EcoBlue Engine	S	S	S	S	Rear Spoiler	_	_	S	S
Power - Maximum (DIN)	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm	Stripe Package	_	_	S	S
Torque - Maximum (DIN)	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm	Seating				
Cylinders	4	4	4	4	Number of Seats	3	3	3	5
Auto Stop/Start ¹	S	S	S	S	Cloth Seat Trim	S	S	_	_
Transmission					Fabric Sports Trim with Blue Accent Stripes	_	_	S	S
8-Speed Automatic	S	S	S	S	Driver 8-Way Manual Seat including lumbar	S	S	—	—
Fransmission Stalk with Manual Gear Shifter	S	S	S	S	Driver 10-Way Power Seat including lumbar	_	_	S	S
Driveline					Dual Front Passenger Fixed Seats	S	S	S	_
Wheelbase	SWB	LWB	SWB	LWB	Single Passenger Front Seat - 8-Way Manual	_	_	_	S
Drivetrain	FWD	FWD	FWD	FWD	Driver Arm Rest	Single	Single	Dual	Dual
4 Drive Modes - Normal, Eco, Slippery, Tow/Haul	S	S			Passenger Seat Dual Arm Rests	_	_	_	S
5 Drive Modes - Normal, Eco, Slippery, Tow/Haul, Sport	_	_	S	S	Driver and Passenger (Outboard) Heated Front Seats	S	S	S	S
Fuel, Economy & Emissions					Fixed 2nd Row Seats (3)	_	_	_	S
Fuel Type	Diesel	Diesel	Diesel	Diesel	Under Seat Stowage Compartment (Passenger Side)	S	S	S	_
Fuel Tank Capacity (L)	70	70	70	70	Driver & Passengers seat occupancy recognition	S	S	S	S
Combined Fuel Economy (L/100km) ²	8.0	8.0	8.0	8.0	Lighting				
CO2 Emissions (g/100km) ²	209	209	209	209	Automatic Dusk Sensing Headlights	S	S	S	S
Selective Catalytic Reduction - Using AdBlue® ³	S	S	S	S	Automatic High Beam Control	S	S	S	S
AdBlue® tank size (L)		20	20	20	Halogen Daytime Running Lights	S	S	_	_
Brakes	20	20	20		LED Daytime Running Lights	_	_	S	S
Front and Rear Disc Brakes	S	s	c		LED/Halogen Hybrid Headlights	S	S	_	_
Electric Parking Brake	S	S	S	S	LED Headlights	_	_	S	S
Suspension & Steering			5		Halogen Tail-lights	S	S	_	_
Rear: Independent Rear Suspension	c	c	c	c	LED Tail-lights	_	_	S	S
Power Assisted Steering	S	S	S	S	High Mounted Stop Lamp	S	S	S	S
	5	5	5	5	Manual Headlight Levelling	S	S	S	S
Wheels			C F II x 17II		Rear Fog Lamps	S	S	S	S
Wheel Size	6.5" x 16" Steel with Wheel	6.5" x 16" Steel with Wheel	6.5" x 17" Multi-spoke Alloy	6.5" x 17" Multi-spoke Alloy					
Wheel Type	Cover in Sparkle Silver		in Matte Black	in Matte Black	S = Standard O = Factory Option that can be ordered before a vehicle is	manufactured at an additional cost			
Tyre Size	215/65 R16C	215/65 R16C	215/60 R17C	215/60 R17C					
Spare Wheel	16" Steel	16" Steel	16" Steel	16" Steel					
Exterior Design Features									
Kerbside Sliding Load Door (LHS)	S	S	S	S					
Dual Side Sliding Load Doors with Pop Out Latch Style Windows	-	_	_	S					
Soft Close Sliding Side Load Doors	_	_	S	S					
Rear Twin Barn Doors with Windows (Wide Opening)	S	S	S	S					
Integrated Roof Racks ⁴	S	S	S	S					
Power adjustable & fold Side Mirrors with Blind Spot Magnified View	S	S	S	S	Disclaimer:			to contract a descent to the second	
Mudflaps - Front & Rear	S	S	_	_	1. Auto Stop/Start will not occur in all situations. 2. Fuel consumption and emissions as per ADR 8 be achieved in real world driving conditions. Actual fuel consumption and emissions will depend	on many factors including the driver's habits,	prevailing conditions and the	vehicle's equipment, condition ar	nd use. 3. Proper functi
Sport Body Kit	_	_	S	S	requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. AdBlue® is a reg to dynamic load condition. 155kg load rating applies to loads applied evenly across all 3 cross bars				



2024.50MY Transit Custom

	Trend ShortTrend LongSport ShortSport LongWheelbase VanWheelbase VanWheelbase VanWheelbase Van					Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Spo Whe Dou
Audio, Communication & Connectivity					Loadspace Compartment				
13-inch Colour Multi-Function Touch Screen Display	S	S	S	S	Metal Bulkhead with Window and Load-Through Hatch	S	S	S	
12-inch Driver Cluster with 7-inch Colour Digital Instrument Cluster with	S	S	S	S	Moulded Plastic Bulkhead with Window	_	_	—	
Configurable Display					Metal Bulkhead (windowless) and Load-Through Hatch (Part of Secure Visibility Pack)	_	0	_	
Built-In Satellite Navigation with one year of Connected Navigation Services included ⁵	5	5	5	5	Load Area Protection Kit - Full Height Walls & Moulded Floor	S	S	S	
5G Embedded Modem	5	5	5	5	Load Area Protection Kit - Half Height Walls & Moulded Floor	_	_	—	
FordPass Connect ⁶	<u> </u>	<u> </u>	<u> </u>	5	Load Area Tie Down Loops	6	8	6	
4 speaker Audio System Digital Audio (DAB+) and FM Radio	S	5	S	S	Ultra Bright LED Load Area Compartment Lights	S	S	S	
Bluetooth® with Phone / Audio Streaming ⁷	S	S	S	S	Safety				
Wireless Apple CarPlay [™] & Android Auto ^{™ 8}	S	S	S	S	6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat	S	S	S	
Wireless Charging ⁹	S	S	S	S	7 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat and Far Side Airbag	-	-	_	
SYNC®4 with Voice-Activated Controls ¹⁰	S	S	S	S	Roll Over Mitigation ¹¹	S	S	S	
Streering Wheel Audio/Function Control	S	S	S	S	Security				
USB-A - Instrument Panel	S	S	S	S	Thatcham Category 1 - Combined Alarm and Immobiliser	S	S	S	
USB-C - Instrument Panel	S	S	S	S	Driver Assistance				
USB-C - 2 x Drivers side dash & 2 x Upper glovebox			S	S	Dynamic Stability Control (DSC) incorporating ABS ¹¹	S	S	S	
USB-C - 2x 2nd row				S	Traction Control System ¹¹	S	S	S	
Auxiliary 12V Power Outlet - Instrument Panel	S	S	ς	S	Intelligent Adaptive Cruise Control ¹¹	S	S	S	
Digital Owners Manual	S	S	S	S	Blind Spot Monitoring & Assist ¹¹	S	S	S	
Comfort & Convenience					Rear Cross Traffic Alert ¹¹	S	S	S	
Climate Control - Single Zone	S	S		_	Emergency Call Assist ¹²	S	S	S	
Climate Control Dual Zone		_	S	S	Rear Occupant Alert	_	_	_	
Automatic Rain-Sensing Windshield Wipers	S	S	S	S	Evasive Steering Assist ¹¹	S	S	S	
Quickclear Heated Windscreen	S	S	S	S	Exit Warning ¹¹	S	S	S	
Fold Down Tray Table (Back of Centre Passenger Seat)	S	S	S	_	Forward Collision Warning ¹¹	S	S	S	
Illuminated Step - Driver & Passenger	S	S	S	S	Hill Launch Assist ¹¹	S	S	S	
Power Windows (1-Touch Up/Down Driver Window)	S	S	S	S	Intelligent Speed Limiter ^{11, 13}	S	S	S	
Power Windows (1-Touch Up/Down Passenger Window)	_	_	S	S	Lane Keeping Aid with Lane Departure Warning ¹¹	S	S	S	
Soft Close Side Load Doors	_	_	S	S	\sim	d at an additional cost			
Premium Feel Sensico [®] artificial leather steering wheel	S	S	S	S	S = Standard O = Factory Option that can be ordered before a vehicle is manufacture	a at an additional cost			
Push Button Start	S	S	S	S	Disclaimer:				
Telescopic and Tilt Adjustable Steering Column	S	S	S	S	5. Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from to a subscription fee. Users must have created a FordPass App account (terms apply), have fully activated the vehicles are subscription fee.				
Locking Glovebox	S	S	S	S	 FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, inter- over time due to software updates. You are responsible for internet access, mobile network data and voice call 	ernet access and software (inclue	ding software updates from tin	ne to time). FordPass functionalit	y and appeara
Upper Glovebox	_	_	S	S	FordPass Connect modem can only work when both are connected to the telecommunications network. The Tra	nsit Custom 2024.50MY contain	s a FordPass Connect Modem	which will function on the 3G, 4	G and 5G teleo
Driver Footrest	S	S	S	S	networks. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions	while driving. Check your local	road rules before using these	functions. Use Remote Vehicle S	itart and Stop
Slim line Centre Console with Foldable Single Cup Holder	S	S	S	_	only in well ventilated areas where you are aware of your vehicle's surroundings. 7. Bluetooth® is a registered tr phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable				
Centre Console with Single Lid and 2 Cup Holders	_	_	_	S	 are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free trademarks of Google Inc. Ford Applink[®] is available on selected SYNC[®] models and is compatible with select selected selec	, iPod and iPhone are trademar	ks of Apple Inc. registered in th	ne US and other countries. Andro	oid Auto and G
Keyless Entry	_	—	S	S	using these functions. 9. Wireless charging only available on compatible phones. 10. Don't drive while distracted	Use voice-operated systems w	hen possible and don't use har	ndheld devices while driving. Sor	ne features ma
Keyless Start	S	S	S	S	while the vehicle is in gear. Not all SYNC 4 features are compatible with all phones. SYNC screen appearance and the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain	driving, road or weather condition	ons. See Owner's Manual for de	etails and limitations. Intelligent	Adaptive Cruis
Rear Window Defrost with wiper and washer	S	S	S	S	uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC syste the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel co				
Cup Holders - Front	3	3	3	4	by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connect subject to payment of a subscription fee. Adaptive Cruise Control has a minimum operating speed of 20km/hr. D	ed Navigation Services are inclu	ided for 1 year from the Ford E	xpress New Vehicle Warranty sta	irt date and av
Front Door Storage with Bottle Holders	S	S	S	S	Manual for details of the limitations of the iACC system before activating. 12. Emergency Assistance feature needs	a paired and in range mobile pho	one. Can activate in the event of	a crash which deploys an airbag	or activates the
Cabin Floor Covering - Easy Clean Rubber	S	S	S	_	off. 13. Intelligent Speed Limiter (ISL) uses various data to limit the set speed of the vehicle to the speed limit detect actual speed limit. ISL can be temporarily overridden by the driver firmly pressing the accelerator. Customers should a	ead the Owner's Manual for deta	ails of the limitations of the ISL s	ystem before activating. In some	circumstances,
Carpet Floor Cabin & 2nd row	_	_	_	S	data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPa Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee.	ss Connect modem and enabling	g Connected Navigation Services	5. Connected Navigation Services	are included fo

ailable or may be subject ordPass is subject to the appearance may change s. The FordPass App and d 5G telecommunications limitations or restrictions and Stop responsibly and y / Android Auto requires e and other third parties uto and Google Maps are Ir local road rules before atures may be locked out nental and do not replace tive Cruise Control (iACC) the actual speed limit. If eping map data updated e and available ongoing should read the Owner's ivates the fuel pump shut speed above or below the nstances, ISL will use map cluded for 1 year from the ble ongoing subject to payment inanty start c

Sport Long Wheelbase Double Cab
—
S
—
—
S
6
S
—
S
S
S
S
S S S
S
S
S
S S S S
S
S
S
S S
S

S

2024.50MY Transit Custom				Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply									
	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab		Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab				
Driver Assistance (continued)					Exterior Dimensions (mm) ²¹								
Parking Sensors - Front & Rear ¹¹	S	S	S	S	Overall Length	5050	5450	5050	5450				
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist ^{11, 14, 15}	S	S	S	S	Overall Width with Mirrors	2275	2275	2275	2275				
Rear View Camera - 180-Degree Split View ¹¹	S	S	S	S	Overall Width with Folded Back Mirrors	2148	2148	2148	2148				
Reverse Brake Assist ^{11,16}	S	S	S	S	Overall Width without Mirrors & Handles (Maximum Body Width)	1999	1999	1999	1999				
Side Wind Stabilisation ¹¹	S	S	S	S	Overall Height at Kerb Weight ²²	1984	1980	1990	1985				
Traffic Sign Recognition ¹¹	S	S	S	S	Wheelbase	3100	3500	3100	3500				
Trailer Sway Control ¹¹	S	S	S	S	Front of Vehicle to Front Wheel Centre	958	958	958	958				
Tyre Pressure Monitoring System	S	S	S	S	Rear of Vehicle to Rear Wheel Centre	992	992	992	992				
Power Door Deadlocks - Shielded	S	S	S	S	Width - Side Door Opening	1030	1030	1030	1030				
Child Seat ISOFIX Anchorage Points (Outboard Rear Seats)	_	_	_	S	Height - Side Door Opening	1301	1301	1301	1301				
Child Seat Upper Anchorage Points (Outboard Rear Seats)	_	_	_	S	Width - Rear Door Opening	1400	1400	1400	1400				
Anti-Lock Brake System (ABS) ¹¹	S	S	S	S	Height - Rear Door Opening	1316	1316	1316	1314				
Electronic Brakeforce Distribution (EBD) ¹¹	S	S	S	S	Turning Circle (M)								
Emergency Brake Assist (EBA)	S	S	S	S	Kerb to Kerb turn Diameter	10.9	12.1	10.9	12.1				
Production Options					Cargo Dimensions (mm) ²³		_						
Dual Side Load Doors ¹⁷	0	0	0	_	Width - Load Space Between Wheel Arches	1392	1392	1392	1392				
Rear Liftgate Door ¹⁷	0	0	0	0	Height - Load Space Floor to Roof	1427	1425	1427	1425				
Secure Visibility Pack ¹⁷	_	0	_	_	Height - Rear Loading Height at Kerb Weight (Ground to Load Floor)	571	567	572	569				
Prestige Paint	0	0	0	0	Length - Upper Cargo	2394	2794	2394	1888				
Special Vehicle Options (SVO) Paint ¹⁸	0	0	_	_	Length - Load Space Maximum (Bulkhead)	2602	3002	2602	2004				
Paint Colours					Length - Load Space Maximum via Load Through Hatch to Passenger Under Seat Stowage	3050	3450	3050	_				
Frozen White	S	S	S	S	Maximum Load Volume (with Bulkhead) (cu.m) ²⁴	5.8	6.8	5.8	4.3				
Moondust Silver ¹⁸	0	0	0	0	Load Space SAE (behind Bulkhead) (cu.m)	5.7	6.5	5.7	_				
Magnetic ¹⁸	0	0	0	0	Load Space VDA (with Bulkhead) (cu.m) ²⁵	5.2	6.0	5.2	3.8				
Agate Black Metallic ¹⁸	0	0	0	0	Euro Pallet Capacity (1,200mm x 800mm)	3	4	3	_				
Digital Aqua Blue ¹⁸	_	_	0	0	Aftersales Information ²³								
Grey Matter ¹⁸	_	_	0	0	Service Intervals - 12 months or 30,000 km								
SVO Paint Range ¹⁸	0	0	_	_									
Vehicle Masses (kg)					S = Standard O = Factory Option that can be ordered before a vehicle is manufacture	d at an additional cost							
Axle Plated Mass (Front / Rear)	1600/1900	1700/1850	1550/1700	1700/1700	_								
Gross Combined Mass	5725	5725	5525	5525	– Disclaimer:								
Gross Vehicle Mass	3225	3225	3025	3025	– 14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to co								
Minimum Kerb Weight ¹⁹	1970	2016	2002	2171	15. Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and car do not replace safe driving. See Owner's Manual for Limitations. 16. Reverse Brake Assist functions when in reverse and available at additional cast and must be addread before the vehicle is manufactured. 10. Subject to State and	se and travelling at a speed of	2-12 km/h. 17. Option available	at additional cost. 18. Regular P	roduction Options are optiona				
Kerb Weight ¹⁹	2165	2211	2157	2276	and available at additional cost and must be ordered before the vehicle is manufactured. 19. Subject to State and the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes t of factory fit againment. Musicaure Dayles do are calculated by the durting gibber the unbick for Kerb Weight and Minimum Kerb	the vehicle with a full tank of fu	el, without occupants, luggage	e or cargo and with the lightest p	ossible orderable combinatior				
Maximum Payload at Minimum Kerb Weight ¹⁹	1255	1209	1023	854	_ of factory fit equipment. Maximum Payloads are calculated by deducting either the vehicle's Kerb Weight or Mini Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the ma Chicken and Table and After adding additional load, accessories or towing a trailer to ensure the ma Chicken and Table and After adding additional load, accessories or towing a trailer to ensure the ma of the second	aximum Gross Vehicle Mass (G\	/M), Gross Combined Mass (GCN	M) and Gross Axle Weight Ratings	are not exceeded. 20. Subject				
Maximum Payload at Kerb Weight ¹⁹	1060	1014	868	749	to State and Territory regulations. Maximum towing capacity braked using an appropriate aftermarket towbar and t need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage	e restrictions, please consult yc	ur authorized Ford Dealer and	/ or refer to the Owner's Manual	Towing equipment, including				
Maximum Braked Towing Capacity ²⁰ *Towing equipment, including towbar not currently available – expected October 2024. Consult you Ford Dealer for availability	2500	2500	2500	2500	towbar not currently available – expected October 2024. Consult your Ford Dealer for availability. 21. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any acc or otherwise relying on this value. 22. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. 23. dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. Load Area Protection Kit may impact cargo area dimensions and ca 24. Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. 25. VDA is the method determined by filling the load space with 'litre' bloc measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters.								

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

Discover more at ford.com.au



												•
										•	•	
									•	•		
								•				
							•					
						•	•					
				•	•							
		•	•									